


**F-tone Networks 10Gbps 40km SFP+ Optical Transceiver  
FTCS-131X-40DXX**

**Features**

- ◆
- ◆
- ◆
- ◆
- ◆
- ◆
- ◆
- ◆
- ◆
- ◆
- ◆
- ◆
- ◆
- ◆
- ◆
- ◆
- ◆
- ◆
- ◆
- ◆
- ◆
- ◆
- ◆



**Applications**

- ◆
- ◆
- ◆
- ◆

**Product description**

## Absolute maximum rating

Parameters	Symbol	Min.	Max.	Unit
				°
				°

## Recommended operating environment

Parameter	Symbol	Min.	Typical	Max	Unit
					°

## Low Speed Characteristics

Parameter	Symbol	Min.	Typical	Max	Unit



F-tone Networks

# 北亿纤通科技有限公司

F-TONE GROUP 集团旗下

## Optical characteristics





Parameter	Symbol	Min.	Typical	Max	Unit	Notes
<b>Transmitter</b>						
<b>Receiver</b>						




Figure 1: Interface to Host PCB




Figure 2: Module Contact Assignment

## Pin definition



F-tone Networks

# 北亿纤通科技有限公司

F-TONE GROUP 集团旗下

---

# 北亿纤通科技有限公司

F-TONE




Figure5. Mechanical Specifications

## Regulatory Compliance

Feature	Agency	Standard





## Ordering information

Part Number	Product Description

## References

## Important Notice